INDEX FOR VOLUME 20

Age ratios and age groups
bob-white, 241
deer, white-tailed, 289, 301
marten, 267
Aldous, Clarence M. Conducting deer studies with the use of a helicopter, 327
see also Robinette, W. Leslie, 75
Alewife, introduction in Maine, 396
Allan, Philip F. A system for evaluating coastal marshes as duck winter range, 247
Allen, Durward L. Book reviews by, 196, 323
Pheasant in North America (reviewed), 447
Altmann, Margaret, see Taber, Richard D., 464
Antelope, pronghorn
identification by precipitin reaction, 169
mortality in winter, 164
Ash, J. S., see Blank, T. H., 328
Atkeson, Thomas Z. Incidence of crippling loss in steel trapping, 323
Atwood, Earl L. Validity of mail survey data on bagged waterfowl, 1

Badger predation on goose nests, 407
Bailey, R. Wayne. Sex determination of adult wild turkeys by means of dropping configuration, 220
Baldpate
nesting study, 282, 346
sex ratios, 385
Banding returns
grouse, sharp-tailed, 50
pheasants, 454
woodcock, 420
Bass
largemouth
blood oxygen and temperature, 56
status, Minn. lakes, 316
smallmouth
production factors, 353
white
status, Minn. lakes, 316
yellow
growth computation, 23
Beaver
die-off in Michigan, 184
predation by bobcat, 199
transplantation behind Urals, 69
Beeson, Kenneth C., see Smith, Frank H., 359
Behavior
courtship, blue-winged teal, 33
desert game at water tank, 368
geese in nesting concentration, 415
homing, 293
nest defecation, 244
territory, blue-winged teal, 33
Berg, Paul F. A study of waterfowl broods in eastern Montana with special reference to movements and the relationship of reservoir fencing to production, 253
Bizeau, Elwood G., see Steel, Paul E., 279
Blank, T. H. and J. S. Ash. Marker for game birds, 328
Bluegill
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Minn. lakes, 316
variance of body length, 26
Bobcat, food habits, Maine, 199
Bohl, Wayne H. Experiments in locating wild chukar partridges by use of recorded calls, 83
Brambling, 462
Brandy, John, see Kitts, W. D., 212
Breckenridge, W. J. Nesting study of wood ducks, 16
Buffalofish, status, Minn. lakes, 316
Bufflehead
Leucocytozoon in, 209
sex ratios, 385
Bullhead
black, status, Minn. lakes, 316
brown
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Minnesota lakes, 316
vulnerability to kingfishers, 179
yellow, status, Minn. lakes, 316
Burbutis, Paul P., and Robert E. Mangold. A study of the fleas of cottontail rabbits in New Jersey, 217
Burdick, Milton E. and Edwin L. Cooper. Growth rate, survival, and harvest of fingerling rainbow trout planted in Weber Lake, Wisconsin, 233
Buss, Irven O., see Johnsgard, Paul A., 384
Byrd, M. A. Relation of ecological succession to farm game in Cumberland County in the Virginia Piedmont, 188

Campbell, Howard, and Levon Lee. Notes on the sex ratio of Gambel's and scaled quail in New Mexico, 93
Canvas-back
nesting study, 282, 346
sex ratios, 385
Capercaillie, transplantations, Europe, 69
Caribou, fluctuations and snow depth, 161
Carlander, Kenneth D., see Whitney, Richard R., 21
Carp
response to phosphorus, 318
status, Minn. lakes, 316
Chamberlain, E. B., Jr., see Grice, G. D., Jr., 330
Chapman, Floyd B. Some behavior characteristics of mammals useful in management, 293
Chipmunk
predation by bobcat, 199
subjected to fibroma virus, 87
Christian, John J., see Davis, David E., 378
Chub, creek
status, Seney Refuge, Michigan, 116
vulnerability to kingfishers, 179

INDEX FOR VOLUME 20

Age ratios and age groups
bob-white, 241
deer, white-tailed, 289, 301
marten, 267
Aldous, Clarence M. Conducting deer studies with the use of a helicopter, 327
see also Robinette, W. Leslie, 75
Alewife, introduction in Maine, 396
Allan, Philip F. A system for evaluating coastal marshes as duck winter range, 247
Allen, Durward L. Book reviews by, 196, 323
Pheasant in North America (reviewed), 447
Altmann, Margaret, see Taber, Richard D., 464
Antelope, pronghorn
identification by precipitin reaction, 169
mortality in winter, 164
Ash, J. S., see Blank, T. H., 328
Atkeson, Thomas Z. Incidence of crippling loss in steel trapping, 323
Atwood, Earl L. Validity of mail survey data on bagged waterfowl, 1

Badger predation on goose nests, 407
Bailey, R. Wayne. Sex determination of adult wild turkeys by means of dropping configuration, 220
Baldpate
nesting study, 282, 346
sex ratios, 385
Banding returns
grouse, sharp-tailed, 50
pheasants, 454
woodcock, 420
Bass
largemouth
blood oxygen and temperature, 56
status, Minn. lakes, 316
smallmouth
production factors, 353
white
status, Minn. lakes, 316
yellow
growth computation, 23
Beaver
die-off in Michigan, 184
predation by bobcat, 199
transplantation behind Urals, 69
Beeson, Kenneth C., see Smith, Frank H., 359
Behavior
courtship, blue-winged teal, 33
desert game at water tank, 368
geese in nesting concentration, 415
homing, 293
nest defecation, 244
territory, blue-winged teal, 33
Berg, Paul F. A study of waterfowl broods in eastern Montana with special reference to movements and the relationship of reservoir fencing to production, 253
Bizeau, Elwood G., see Steel, Paul E., 279
Blank, T. H. and J. S. Ash. Marker for game birds, 328
Bluegill
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Minn. lakes, 316
variance of body length, 26
Bobcat, food habits, Maine, 199
Bohl, Wayne H. Experiments in locating wild chukar partridges by use of recorded calls, 83
Brambling, 462
Brandy, John, see Kitts, W. D., 212
Breckenridge, W. J. Nesting study of wood ducks, 16
Buffalofish, status, Minn. lakes, 316
Bufflehead
Leucocytozoon in, 209
sex ratios, 385
Bullhead
black, status, Minn. lakes, 316
brown
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Minnesota lakes, 316
vulnerability to kingfishers, 179
yellow, status, Minn. lakes, 316
Burbutis, Paul P., and Robert E. Mangold. A study of the fleas of cottontail rabbits in New Jersey, 217
Burdick, Milton E. and Edwin L. Cooper. Growth rate, survival, and harvest of fingerling rainbow trout planted in Weber Lake, Wisconsin, 233
Buss, Irven O., see Johnsgard, Paul A., 384
Byrd, M. A. Relation of ecological succession to farm game in Cumberland County in the Virginia Piedmont, 188

Campbell, Howard, and Levon Lee. Notes on the sex ratio of Gambel's and scaled quail in New Mexico, 93
Canvas-back
nesting study, 282, 346
sex ratios, 385
Capercaillie, transplantations, Europe, 69
Caribou, fluctuations and snow depth, 161
Carlander, Kenneth D., see Whitney, Richard R., 21
Carp
response to phosphorus, 318
status, Minn. lakes, 316
Chamberlain, E. B., Jr., see Grice, G. D., Jr., 330
Chapman, Floyd B. Some behavior characteristics of mammals useful in management, 293
Chipmunk
predation by bobcat, 199
subjected to fibroma virus, 87
Christian, John J., see Davis, David E., 378
Chub, creek
status, Seney Refuge, Michigan, 116
vulnerability to kingfishers, 179

Cleary, Robert E. Observations on factors affecting smallmouth bass production in Iowa, 353
Cod, predation by fur seal, 215
Coleman, I. A., see Klonglan, E. D., 173
Cooper, Edwin L., see Burdick, Milton E., 233
Coot, American
  brood counts, validity of, 465
  nesting density, Iowa, 33
Cope, Oliver B., see Laakso, Martin, 138
Cowan, I. McT., see Kitts, W. D., 212
Craighead, John J. and Dwight S. Stockstad. A colored neckband for marking birds, 331
Crappy, black, status, Minn. lakes, 316
Creel census
  Iowa, 357
  Maine, 392
  Wisconsin, 234
Crippling losses
  bob-white, 241
  steel trapping, 323
Crispens, Charles G., Jr. Prolactin: an evaluation of its use in ring-necked pheasant propagation, 453
  see also Semones, Vernon D., 200
Crow
  crop damage, Japan, 462
  predation on goose nests, 407
Dace
  blacknose
    status, Seney Refuge, Michigan, 116
    vulnerability to kingfishers, 179
  longnose
    vulnerability to kingfishers, 179
  redbelly
    predation by pike on, 118
    status, Seney Refuge, Michigan, 116
Dalke, Paul D., see Steel, Paul E., 279
Darters
  predation by pike on, 118
  status, Seney Refuge, Michigan, 116
  vulnerability to kingfishers, 179
Dasmann, Raymond F. and Richard D. Taber. Determining structure in Columbian black-tailed deer populations, 78
Davis, David E. and John J. Christian. Changes in Norway rat populations induced by introduction of rats, 378
Davis, David E. and John T. Emlen. Differential trapability of rats according to size and sex, 326
Davis, Earle M., Jr., see Gysel, Leslie W., 451
Deer, general
  census methods
    carcasses, 75
    general, 70, 327
  chemical composition of herbage, 359
  fluctuations and snow depth, 161
  mountain maple management, 434
Deer, species
  black-tailed
    age criteria, 78
    milk composition of, 212
    postnatal mortality, 214
    sex criteria, 78
  central maral, hybridization with wapati, 69
  fallow
    history in eastern Poland, 68
    introduced, Texas, 460
  mule
    behavior at water tank, 370
    identification by precipitin reaction, 169
    introduced, Texas, 461
  red, history in eastern Poland, 68
  roe, history in eastern Poland, 68
  white-tailed
    age classes, 290, 301
    homing, 294
    hunting study, 297
    introduced, Texas, 461
    nutrient requirements, 221
    populations, N. Carolina areas, 360
    predation by bobcat, 199
    productivity, 289, 301
    regional differences, 286
    sex ratio, 301
    weights, 289, 300
Densities
  doves, mourning, 428
  fish, Minn. lakes, 316
  quail, bob-white, 241
  trout, rainbow, 234
Denyes, H. Arliss and Jeanne M. Joseph. Relationships between temperature and blood oxygen in the largemouth bass, 56
de Vos, Antoon. Book review by, 92
  see also Taber, Richard D., 464
Diseases and parasites
  blood parasites in ducks, 207
  Eimeria environ, 459
  fibroma in cottontails, 85
  filariae in Canada geese, 89
  fleas of cottontail, 217
  myxoma virus in
    cottontails, 87
    European rabbit, 87
  ticks, beaver, muskrat, 186
  tularemia in beaver, 184
Dorney, Robert S. and Helmer M. Mattison. Trapping techniques for ruffed grouse, 47
Dove
  mourning
    behavior at water tank, 375
    density, Georgia, 428
    productivity, Georgia, 428
    technique bursal inspection, 94
  white-winged, behavior at water tank, 374
Drainage
  compensation by large marshes, 349
  effect on teal nesting, 44
Duck
  black, blood parasites in, 208
  ring-necked, sex ratios, 385
  ruddy
    nesting, N. Dakota, 346
    nesting density, Iowa, 33

nesting study, 282
sex ratios, 385
wood
blood parasites in, 208
incubation periods, 16
Ducks
blood parasites in, 207
hunting-kill estimates, 1
trapping with cannon-type net, 201
see also waterfowl
Durant, A. J. Impaction and pressure necrosis in Canada geese due to eating dry hulled soybeans, 399

Eberhardt, Lee, and Robert C. Van Etten. Evaluation of the pellet group count as a deer census method, 70
Ecke, Dean H. Minimum lethal temperature for the cottontail parasite *Eimeria environ*, 459
Education, television used in, 456
Edwards, R. Y. Snow depths and ungulate abundance in the mountains of western Canada, 159
see also Ritcey, R. W., 324
Eipper, Alfred W. Differences in vulnerability of the prey of nesting kingfishers, 177
Elder, James B. Watering patterns of some desert game animals, 368
Elk, see wapiti
Emlen, John T., see Davis, D. E., 326
Erickson, Arnold B., see Krefting, L. W., 297
Exotic introductions, see Transplantation

Fallfish, vulnerability to kingfishers, 179
Fantail, status, Seney Refuge, Michigan, 116
Fay, L. D., see Lawrence, William H., 184
Findley, James S. Comments on the winter food of red foxes in South Dakota, 216
Fire, effect on
mountain caribou, 166
teal nesting, 39
Fish
growth computations, 21
sand, predation by fur seal, 215
Fisher, James. Wild America (reviewed), 323
Fitch, Frank W., Jr., see Rosene, Walter, Jr., 205
Food
bicolor lespedeza, bob-white, 108, 239
bobcat, 199
bob-white, 125
fox, red, 216
pike, 118
sample size in analyses of, 64
seal, fur, 214
trout, rainbow, 238
turkey, wild, 132
Forward, William R., see Hammond, M. C., 243
Fox
gray
age determination, 210
crippling loss, 324
polar, transplantation, 69
red
age determination, 210
crippling loss, 324
dens on teal study area, 41
food habits, 216
review of study by T. G. Scott and W. D. Klimstra, 196
Foye, Robert E. Reclamation of potential trout ponds in Maine, 389
French, C. E., L. C. McEwen, N. D. Magruder, R. H. Ingram, and R. W. Swift. Nutrient requirements for growth and antler development in the white-tailed deer, 221
Frogs, predation by pike on, 118
Frye, O. Earle, Jr., see Laessle, Albert M., 125

Gadwall
nesting study, 282, 346
population, Colorado, 445
sex ratios, 385
Gashwiler, Jay S., see Robinette, W. Leslie, 75
Gehrken, George A. Shrub lespedeza as a quail management plant in southeastern Virginia, 239
Geis, Mary Barraclough. Productivity of Canada geese in the Flathead Valley, Montana, 409
Gilbert, Douglas L. Television as a wildlife-education medium, 456
Gill, John. Regional differences in size and productivity of deer in West Virginia, 286
Glover, Fred A. Nesting and production of the blue-winged teal . . . in northwest Iowa, 28
Goats, mountain, fluctuations, British Columbia, 162
Golden-eye
American, *Microfilaria* in, 209
Barrow's, sex ratios, 385
Goose, Canada
filariae in, 89
impaction of food in, 399
mortality in Florida, 330
neck band for, 332
population build up, 345
pressure necrosis, 399
productivity in Montana, 409
trapping with cannon-type net, 201
Gordon, Seth. Obituary of Kenneth A. Reid, 446
Graham, S. A., see Lawrence, William H., 184
Graybill, Franklin, see Hanson, William R., 64
Grazing
control of, 44
effect on teal nest success, 41
Greenfinch, 462
Greenwalt, Lynn A., see Sowls, Lyle K., 215
Grice, G. D., Jr., E. L. Tyson, and E. B. Chamberlain, Jr. An unexplained mortality of Canada geese in North Florida, 330
Grieb, Jack R. and Mitchell G. Sheldon. Radio-controlled firing device for the cannon-net trap, 203
Grouse
black, transplantation, 69
hazel, transplantation, 69
ruffed
predation by bobcat, 199

trapping techniques, 45
willow, see Ptarmigan
Growth studies, trout, rainbow, 233
Gullion, Gordon W. An observation concerning the validity of coot brood counts, 465
Gutermuth, C. R. Obituary of Charles H. Hopkins, 320
Gysel, Leslie W. and Earle M. Davis, Jr. A simple automatic photographic unit for wildlife research, 451

Halloran, Arthur F. and Julian A. Howard. Aransas Refuge wildlife introductions, 460
Hammond, M. C. and W. R. Forward. Experiments on causes of duck nest predation, 243
Hammond, M. C. and G. E. Mann. Waterfowl nesting islands, 345
Hansen, H. L., see Krefting, L. W., 434
Hanson, Harold C., Norman D. Levine, and Sidney Kantor. Filariae in a wintering flock of Canada geese, 89
Hanson, William R. and Franklin Graybill. Sample size in food-habits analyses, 64
Hare
European, transplantation in Russia, 69
snowshoe, predation by bobcat, 199
Haugen, Arnold O., see Sullivan, Edward G., 210
Hendrickson, George O., see Linder, Raymond L., 96
see also Kozicky, Edward L., 97
Herman, Carlton M., Lawrence Kilham, and Oscar Warbach. Incidence of Shope's rabbit fibroma in cottontails at the Patuxent Research Refuge, 85
Hewitt, Oliver H., editor's note, 332
Hochbaum, H. Albert. Book review by, 195
Hog, feral, introduced, Texas, 461
Hopkins, Charles H., obituary of, 320
Howard, Julian A., see Halloran, Arthur F., 460
Hunting
kill estimates, waterfowl, 1
quail, bob-white, 241
special deer seasons, 297

Ingram, R. H., see French, C. E., 221
Introduction, see Transplantation.

Jackrabbit, white-tailed
predation on, red fox, 216
Javelina
behavior, 372
utilization of water tank, 369
Jay, blue, predation by bobcat, 199
Jessen, Raymond J., see Edward L. Kozicky, 97
Johnsgard, Paul A. and Irven O. Buss. Waterfowl sex ratios during spring in Washington and their interpretation, 384
Jones, Dale A., see Robinette, W. Leslie, 75
Jones, Gardiner F., obituary of, 320
Joseph, Jeanne M., see Denyea, H. Arliss, 56

Kantor, Sidney, see Hanson, Harold C., 89
Keiss, R. W. and S. M. Morrison. Identification of Colorado big-game animals by the precipitin reaction, 169
Kenyon, Karl W. Food of fur seals taken on St. Paul Island, Alaska, 1954, 214
Kilham, Lawrence, see Herman, Carlton M., 85
Kingfisher, belted, food habits of, 177
Kitts, W. D., I. McT. Cowan, John Brandy, and A. J. Wood. The immediate postnatal growth in the Columbian black-tailed deer in relation to the composition of the milk of the doe, 212
Klimstra, Willard D., see Scott, Thomas G., 196
Klonglan, E. D., I. A. Coleman and E. L. Kozicky. A pheasant nest-activity recording instrument, 173
Kozicky, Edward L., Raymond J. Jessen, and George O. Hendrickson. Estimation of fall quail populations in Iowa, 97
see also Klonglan, E. D., 173
Krefting, Laurits W. and Arnold B. Erickson. Results of a special deer hunt on the Mud Lake National Wildlife Refuge, Minnesota, 297
Krefting, L. W., H. L. Hansen, and M. H. Stenlund. Stimulating regrowth of mountain maple for deer browse by herbicides, cutting, and fire, 434

Laakso, Martin and Oliver B. Cope. Age determination in Yellowstone cutthroat trout by the scale method, 138
Laessle, Albert M. and O. Earle Frye, Jr. A food study of the Florida bob-white, 125
Lagler, Karl F. The pike, *Esox lucius* Linnaeus, in relation to waterfowl on the Seney National Wildlife Refuge, Michigan, 114
Latham, Roger M. Midwinter courtship flights of woodcock in Delaware, 209
Lauckhart, J. Burton. Obituary of Charles F. Jones, 320
Lawrence, William H., L. D. Fay, and S. A. Graham. A report on the beaver die-off in Michigan, 184
Lee, Levon, see Campbell, Howard, 93
Levine, Norman D., see Hanson, Harold C., 89
Limnological studies
Minnesota surface waters, 303
pools, Seney Refuge, 115
Lindemann, W. Transplantation of game in Europe and Asia, 68
Linder, Raymond L. and George O. Hendrickson. A door catch for the wooden box trap, 96
Lowe, Jack I. Breeding density and productivity of mourning doves on a county-wide basis in Georgia, 428

Magpie, relation to nesting geese, 415
Magruder, N. D., see French, C. E., 221
Mallard
brood data, 284
egg data, 283
movement, brood, 261
nest sites, 282
nest success, 282
nesting
Colorado, 445
Iowa, 33

N. Dakota, 346
predation by pike, 118
production, 445
sex ratios, 385
Management
bicolor lespedeza, 104, 239
drainage, 44
fencing reservoirs, 253
grazing, 44
hunting dates, 45
mice on cutovers, 405
mountain maple for deer browse, 434
predators, 45
soybean fields near refuges, 404
trapping pressure, marten, 267
water levels, 44
waterfowl nesting islands, 345
Mangold, Robert E., see Burbutis, Paul P., 217
Mann, G. E., see Hammond, M.C., 345
Marten
age groups, 267
management of, 267
sex ratio, 267
Matthews, G. V. T. Bird navigation (reviewed), 194
Mattison, Helmer M., see Dorney, Robert S., 47
McClure, H. Elliott. Protecting grain fields in Japan from pilferage by birds, 462
McEwen, L. C., see French, C. E., 221
Merganser, common, sex ratios, 385
Mice
affected by slash burn, 405
predation by
bobcat, 199
pike, 118
red fox, 216
subjected to fibroma virus, 87
Mink
predation on
coots, 43
goose nests, 407
grebes, 43
teal nests, 40
transplantation in Russia, 69
Minnows
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Moose
book review on, 92
functuations and snow depth, 161
marking device for, 464
tagging, 324
trapping, 324
Morrison, S. M., see Keiss, R. W., 169
Mortality
geese eating soybeans, 399
geese in Florida, 330
goslings in Montana, 417
mice caught in slash burn, 405
woodcock in Mass., 420
see also Predation
Movement, waterfowl broods, 253
Moyle, John B. Relationships between the chemistry of Minnesota surface waters and wildlife management, 303
Muddler, status, Seney Refuge, Michigan, 116
Mudminnow
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Muskrat, transplantation, Europe, 69
Nesting studies
geese, Canada, 409
shoveller, 244
smallmouth bass, 353
teal, blue-winged, 28, 244
wood duck, 16
Nutria, transplantation, Russia, 69
Nutrition, deer, white-tailed, 221

Obituaries of
Hopkins, Charles H., 320
Jones, Gardiner F., 320
Reid, Kenneth A., 446
Weese, Asa Orrin, 322
Wheeler, James W., 321
Opossum
crippling loss, 324
subjected to fibroma virus, 87

Parasites, see Diseases and parasites
Parasitism on teal nests by pheasants, 42
Partridge
chukar, locating by recorded calls, 83
Hungarian, plastic marker for, 328
red-legged, plastic marker for, 330
Perch, yellow
predation by pike on, 118
status
Minnesota lakes, 316
Seney Refuge, Michigan, 116
Peterle, Tony J. Trapping techniques and banding returns for Michigan sharp-tailed grouse, 50
Peterson, Randolph L. North American moose (reviewed), 92
Peterson, Roger Tory. Wild America (reviewed), 323
Pheasant, ring-necked
incubation by male, 200
introduced, Texas, 461
nest-activity recorder, 173
parasitism by, teal nests, 42
plastic marker for, 330
predation by red fox, 216
prolactin in propagation, 453
Pig, feral, introduced, Texas, 461
Pike, northern
food, 118
relation to waterfowl, 114
status
Minnesota lakes, 316
Seney Refuge, Michigan, 116
Pintail
brood data, 284
egg data, 283

movement, brood, 261
nest sites, 282
nesting, N. Dakota, 346
nesting success, 282
sex ratios, 385
Poisons, in trout pond reclamation, 390
Porcupine, predation by bobcat, 199
Predation
absence of, at water tank, 377
duck nests, 243, 346
goose nests, 415
pike, 114
red foxes, 196
teal nests, 40
see also Food
Price, Walter E., see Smith, Frank H., 359
Production
bass, smallmouth, 353
deer, white-tailed, 286, 301
doves, mourning, 428
fish affected by water chemistry, 315
geese, Canada, 409
trout, rainbow, 234
waterfowl, 253, 279, 443
Ptarmigan
transplantation, Poland, 69
willow, age determination, 274
Pumpkinseed, status, Seney Refuge, Michigan, 116

Quail
bob-white
food of, Florida, 125
responses to bicolor lespedeza, 104, 239
response to plant succession, 188
subjected to fibroma virus, 87
technique, population estimates, 97
variables in age determination, 205
California
artificial roosts for, 466
census method for, 466
introduced, Texas, 461
Gambel's
behavior at water tank, 376
plastic marker for, 330
sex ratio, 93
trapping technique, 215
scaled
age criteria, 154
sex criteria, 154
sex ratio, 93
trapping technique, 215
Quick, Horace F. Effects of exploitation on a marten population, 267

Rabbit
cottontail
box trap for, 96
fibroma in, 85
fleas of, 217
predation on, red fox, 216
response to plant succession, 188
European, susceptibility to myxoma virus, 87
Raccoon
crippling loss, 324
predation on teal nests, 40
Raccoon-dog, transplantation, 69
Range analysis, waterfowl, 247
Rat, Norway
differential trapability, 326
population changes after introduction, 378
Raven, predation on goose nests, 407
Redhead
brood data, 284
egg data, 283
nest sites, 282
nesting density, Iowa, 33
nesting, N. Dakota, 346
nesting success, 282
sex ratios, 385
Redhorse, golden, status, Seney Refuge, Michigan, 116
Reid, Kenneth A. Obituary of, 446
Ritcey, R. W. and R. Y. Edwards. Trapping and tagging moose on winter range, 324
Robinette, W. Leslie, Dale A. Jones, Jay S. Gashwiler and C. M. Aldous. Further analysis of methods for censusing winter-lost deer, 75
Rosene, Walter, Jr. An appraisal of bicolor lespedeza in quail management, 104
and Frank W. Fitch, Jr. A comparative test of the investigator as a variable in aging quail, 205
Ruhl, H. D. Obituary of James W. Wheeler, 321

Sable, Kamchatka, transplantation, 69
Scaup, lesser
nesting, N. Dakota, 346
nesting study, 282
sex ratios, 385
Schemnitz, Sanford D. Wild turkey food habits in Florida, 132
Schorger, A. W. Book review by, 197
Scott, Thomas G. and Willard D. Klimstra. Red foxes and a declining prey population (reviewed), 196
Seals, fur, food of, 214
Sea-poacher, predation by fur seal, 215
Semones, Vernon D. and Charles G. Crispens, Jr. Three records of male Mongolian pheasants incubating clutches, 200
Sex ratios
deer, white-tailed, 301
marten, 267
quail
bob-white, 241
Gambel's 93
scaled, 93
teal, blue-winged, 33
waterfowl, 384
Sheep, bighorn, identification by precipitin reaction, 169
Sheep, mountain, fluctuations, British Columbia, 162
Sheepshead, status, Minn. lakes, 316
Sheldon, Mitchell G., see Grieb, Jack R., 203

Sheldon, William G. Annual survival of Massachusetts male woodcocks, 420
Shiner,
blacknose
predation by pike on, 118
status, Seney Refuge, Michigan, 116
common, vulnerability to kingfishers, 179
golden
predation by pike on, 118
status, Seney Refuge, Michigan, 116
mimic, status, Seney Refuge, Michigan, 116
Shoveller
movement, brood, 261
nesting data, 244, 282, 346
sex ratios, 385
Shrew, predation by bobcat, 199
Skunk
predation by bobcat, 199
striped
crippling loss, 324
predation on
goose nests, 407
teal nests, 40
Smith, Frank H., Kenneth C. Beeson, and Walter E. Price. Chemical composition of herbage browsed by deer in two wildlife management areas, 359
Snake, garter, predation by pike on, 118
Sowls, Lyle K. and Lynn A. Greenwalt. Large traps for catching quail, 215
Sparrows, tree, damage to grain, 462
Squirrel
flying
predation by bobcat, 199
subjected to fibroma virus, 87
gray, leaf-nest theory, 263
red, predation by bobcat, 199
Sciurus vulgaris, transplantation in Russia, 69
Starling, gray, 462
Steel, Paul E., Paul D. Dalke, and Elwood G. Bizeau. Duck production at Gray's Lake, Idaho, 1949-1951, 279
Stenlund, M. H., see Krefting, L. W., 434
Stickleback
predation by pike on, 118
status, Seney Refuge, Michigan, 116
Stockstad, Dwight S., see Craighead, J. J., 331
Storer, Tracey I. and Lloyd P. Tevis, Jr. California grizzly (reviewed), 197
Sucker
hog, vulnerability to kingfishers, 179
white
predation by pike on, 118
response to phosphorus, 316
status
Seney Refuge, Michigan, 116
Minn. lakes, 316
vulnerability to kingfishers, 179
Sugden, Lawson G. A technique for closing gates on big-game live traps by remote control, 467
Sullivan, Edward G. and Arnold O. Haugen. Age determination of foxes by X-ray of forefeet, 210
Survival, trout, rainbow, 233
see also Mortality
Sutton, George Miksch. Obituary of Asa Orrin Weese, 322
Swift, R. W., see French, C. E., 221
Swope, Harold M., see Yeager, Lee E., 442

Taber, Richard D., Anton de Vos, and Margaret Altmann. Two marking devices for large land mammals, 464
Taber, Richard D., see Dasmann, Raymond F., 78
Teal
blue-winged
blood parasites in, 209
movement, brood, 261
nest sites, 282
nesting study, 28, 244, 282, 346, 445
population level, 445
production, 445
sex ratios, 385
cinnamon
nesting study, 282
population, Colorado, 445
sex ratios, 385
green-winged
nest sites, 282
sex ratios, 385
Techniques
age determination
black-tailed deer, 78
foxes, 210
ptarmigan, willow, 274
quail, scaled, 154
quail, bob-white, 205
trout, cutthroat, 138
waterfowl eggs, 112
artificial roosts, quail, 466
bursal inspection, mourning doves, 94
census methods
deer, 70, 327
doves, 432
quail, 466
winter-lost deer, 75
door catch, wooden box trap, 96
field candler, waterfowl eggs, 111
food-habits analyses, sample size in, 64
growth computations, fish, 21
helicopter, use of, 327
identification by precipitin reaction, 169
locating chukar partridge, 83
marking devices, 218, 464
nest-activity recording instrument, 173
pellet-group count, 70
photographing wildlife, 451
plastic markers, 218, 328, 331
population estimates, bob-white, 97
bass, smallmouth, 257
prolactin in pheasant propagation, 453
protection of grain fields, 462
reclamation of trout ponds, 389
sex determination, 154
deer, black-tailed, 78

quail, scaled, 154
turkey, wild, 220
stimulating regrowth for deer browse, 434
tally-counter holder, 198
television in wildlife education, 456
trapping
big game, 466
cannon-type net, 201, 203
moose, 325
quail, 215
ruffed grouse, 47
sharp-tailed grouse, 50
Tevis, Lloyd, Jr. Effect of a slash burn on forest mice, 405
see also Storer, Tracy I., 197
Transplantation
deer
fallow, 460
mule, 461
white-tailed, 461
game, in Europe and Asia, 68
hare, snowshoe, 295
hogs, feral, 461
parasites introduced by, 217
pheasants, ring-necked, 461
quail, Calif., in Texas, 461
rabbit, cottontail, 295
rats, Norway, 378
turkey, wild, 461
Trapping
crippling loss, 323
differential vulnerability to, 326
see also Techniques
Trout
brook
growth, 396
management of ponds for, 389
spawning, 397
status, Seney Refuge, Michigan, 116
vulnerability to kingfishers, 179
brown
food habits, Maine, 396
status, Seney Refuge, Michigan, 116
stocking, Maine, 392
vulnerability to kingfishers, 179
cutthroat
age criteria, 138
age-frequency distribution, 150
lake, response to alkalinity, 316
rainbow
growth rate, 233
harvest, 233
survival, 233
Tullibee, response to phosphorus, 316
Turkey, wild
food of, Florida, 132
introduced, Texas, 461
sex determination, 220
Turner, Lewis B. Improved technique in goose trapping with cannon-type net traps, 201
Turtles
box, subjected to fibroma virus, 87
snapping, predation on young teal, 43
Tyson, E. L., see Grice, G. D., Jr., 330

Uhlig, Hans G. A theory on leaf nests built by gray squirrels on Seneca State Forest, West Virginia, 263

Van Etten, Robert C., see Eberhardt, Lee, 70

Wagner, Frederic H. Book review by, 447
Walleye, yellow, status
Minnesota lakes, 316
Seney Refuge, Michigan, 116
Wallmo, O. C. Determination of sex and age of scaled quail, 154
Wapiti
fluctuations, British Columbia, 162
hybridization with central maral deer, 69
identification by precipitin reaction, 169
transplantation of, in Poland, 69
Warbach, Oscar, see Herman, Carlton M., 85
Waterfowl
field candler, eggs, 111
hunting-kill estimates, 1
nesting density, Iowa, 33
nesting islands, 345
production, 279, 442
relation to pike, 114
sex ratios, 384
Weasel, long-tailed
predation on teal nests, 41
subjected to fibroma virus, 87
Weeden, Robert B., see Westfall, Claude Z., 218
Weese, Asa Orrin. Obituary of, 322
Weights, deer, white-tailed, 289, 300
Weller, Milton W. A simple field candler for waterfowl eggs, 111
Westerskov, Kaj. Age determination and dating nesting events in the willow ptarmigan, 274
Westfall, Claude Z. Foods eaten by bobcats in Maine, 199
and Robert B. Welden. Plastic neck markers for woodcock, 218
Wheeler, James W. Obituary of, 321
Whitney, Richard R. and Kenneth D. Carlander. Interpretation of body-scale regression for computing body length of fish, 21
Widgeon, American. see Baldpate.
Wight, Howard M. A field technique for bursal inspection of mourning doves, 94
Wildlife Society, The
Reports of officers and committees, 333
Nominations for officers, 352
Wisent, history, eastern Poland, 68
Wood, A. J., see Kitts, W. D., 212
Woodchuck, subjected to fibroma virus, 87
Woodcock
courtship flights, midwinter, 209
plastic neck markers for, 218
survival of Mass. males, 420
Woodgerd, Wesley. A tally-counter holder, 198

Yadon, V. L. The artificial roost—an aid in population studies, 466
Yeager, L. E. and Harold M. Swope. . Waterfowl production during wet and dry years in north-central Colorado, 442
Yellow-legs, lesser, predation by pike on, 118

EDITORIAL ACKNOWLEDGMENTS

Volume 20 of the Journal of Wildlife Management was the work of 160 contributors whose names appear in the index above. Less conspicuous but nevertheless vitally important to our publication were the consulting services freely rendered to the editor by 29 others during the past year: Lowell Adams (U.S. For. Serv.), P. F. Allan (S.C.S.), O. L. Austin, Jr. (U.S.A.F.), E. L. Cheatum (N.Y. Cons. Dept.), D. E. Davis (Johns Hopkins U.), Joseph Dell (N.Y. Cons. Dept.), W. H. Elder (U. Mo.), Marion Farr (U.S. Agric. Res. Serv.), J. E. Grasse (Wyo. Game & Fish Comm.), M. C. Hammond (U.S.F. & W.S.), H. C. Hanson (Ill. Nat. Hist. Surv.), C. M. Hart (Calif. Dept. Fish & Game), C. M. Herman (U.S.F. & W.S.), R. A. McCabe (U. Wis.), H. S. Mosby (V.P.I.), H. W. Mossman (U. Wis.), J. C. Neess (U. Wis.), D. H. Pimlott (Nfld. Dept. Mines & Res.), J. R. Reilly (N.Y. Cons. Dept.), P. O. Rudolf (U.S. For. Serv.), G. C. Sanderson (Ill.. Nat. Hist. Surv.), C. W. Severinghaus (N.Y. Cons. Dept.), V. E. F. Solman (Canad. Wildl. Serv.), L. K. Sowls (U. Ariz.), R. E. Stewart (U.S.F. & W.S.), A. W. Stokes (Utah St. Agric. Coll.), D. R. Thompson (Wis. Cons. Dept.), R. L. Weaver (U. Mich.), and W. L. Webb (Syracuse U.).

BACK ISSUES OF SOCIETY PUBLICATIONS

The Wildlife Society still has for sale the following publications at $1.00 each:

Ten-year Index (1937-1946) bound in cloth
Farm Pond Symposium
Symposium on Cycles in Animal Populations

Back issues of the *Journal of Wildlife Management* are now rapidly going out of print. As of July 29, 1956, the Society's inventory was for volumes 1 to 18 as follows:

Volume	Year	No. 1	No. 2	No. 3	No 4
1	1937	—	—	2	2
2	1938	17	—	—	—
3	1939	—	—	—	—
4	1940	109	116	106	110
5	1941	4	6	—	1
6	1942	174	169	175	165
7	1943	—	3	—	15
8	1944	—	3	2	1
9	1945	277	240	296	242
10	1946	31	513	469	533
11	1947	340	354	324	344
12	1948	169	78	138	159
13	1949	380	367	17	7
14	1950	15	35	36	46
15	1951	277	355	319	306
16	1952	300	315	277	352
17	1953	43	196	413	347
18	1954	104	219	154	223

The available back issues are priced at $8.00 per volume from volumes 1 to 19, and similarly available issues at $2.00 per issue. Single issues of the current volume may be secured at $1.50 each. Orders should be sent to the Secretary-Treasurer.

—DANIEL L. LEEDY